

PUBLIKATIONEN: Prof. Dr. Fred Schaper

Stand 28.10.2019

Nr.	Originalarbeiten
[1]	Kirchhoff S., <u>Schaper F.</u> and Hauser H. <i>Interferon regulatory factor 1 (IRF-1) mediates cell growth inhibition by transactivation of downstream target genes.</i> Nucleic Acids Res. 21, 2881-2889 (1993).
[2]	Dirks W., <u>Schaper F.</u> and Hauser H. <i>A new hybrid promoter directs transcription at identical start points in mammalian cells and in vitro.</i> Gene 149, 389-390 (1994).
[3]	Dirks W., <u>Schaper F.</u> , Kirchhoff S., Morelle C. and Hauser H. <i>A multifunctional vector family for gene expression in mammalian cells.</i> Gene 149, 387-388 (1994).
[4]	Köster, M., Kirchhoff, S., <u>Schaper, F.</u> , and Hauser, H. <i>Proliferation control of mammalian cells by the tumor suppressor IRF-1.</i> Cytotechnology , 18, 67-75 (1995).
[5]	Kirchhoff, S., Koromilas, A., <u>Schaper, F.</u> , Grashoff, M., Sonenberg, N., and Hauser, H. <i>IRF-1 induced cell growth inhibition and interferon induction requires the activity of the protein kinase PKR.</i> Oncogene , 11, 439-445 (1995).
[6]	Kirchhoff, S., Köster, M., Wirth, M., <u>Schaper, F.</u> , Gossen M., Bujard, H., and Hauser, H. <i>Identification of mammalian cell clones exhibiting highly regulated expression from inducible promoters.</i> Trends Genet. , 11, 219-220 (1995).
[7]	Kirchhoff, S., Kröger, A., Cruz, H., Tümmler, M., <u>Schaper, F.</u> , Köster, M., and Hauser, H. <i>Regulation of cell growth by IRF-1 in BHK-21 cells.</i> Cytotechnology , 22, 147-156 (1996).
[8]	<u>Schaper, F.</u> , Siewert, E., Gómez-Lechón, M.J., Gatsios, P., Sachs, M., Birchmeier, W., Heinrich, P.C., and Castell, J. <i>Hepatocyte growth factor scatter factor (HGF/SF) signals via the STAT3/APRF transcription factor in human hepatoma cells and hepatocytes.</i> FEBS Lett. , 405, 99-103 (1997).
[9]	Sharf, R., Meraro, D., Azriel, A., Thornton, A.M., Ozato, K., Petricoin, E.F., Lerner, A.C., <u>Schaper, F.</u> , Hauser, H., and Levi, B.-Z. <i>Phosphorylation events modulate the ability of interferon consensus sequence binding protein to interact with interferon regulatory factors and to bind DNA.</i> J. Biol. Chem. , 272, 9785-9792 (1997).
[10]	Kirchhoff, S., <u>Schaper, F.</u> , Oumard, A. and Hauser, H. <i>In vivo formation of IRF-1 homodimers.</i> Biochimie , 80, 659-664 (1998).
[11]	<u>Schaper, F.</u> , Kirchhoff, S., Posern, G., Köster, M., Oumard, A., Sharf, R., Levi, B.-Z., and Hauser, H. <i>Functional domains of Interferon Regulatory Factor 1 (IRF-1).</i> Biochem. J. , 335, 147-157(1998).
[12]	<u>Schaper, F.</u> , Gendo, C., Eck, M., Schmitz, J., Grimm, C., Anhuf, D., Kerr, I.M., and Heinrich, P.C. <i>Activation of SHP2 via the IL-6 signal transducing receptor protein gp130 requires JAK1 and limits acute-phase protein expression.</i> Biochem. J. , 335, 557-565 (1998).
[13]	Thiel, S., Dahmen, H., Martens, A., Müller-Newen, G., <u>Schaper, F.</u> , Heinrich P.C., and Graeve, L. <i>Constitutive internalization and association with adaptor protein-2 of the interleukin-6 signal transducer gp130.</i> FEBS Lett. , 441, 231-234 (1998).
[14]	Haan, S., Hemmann, U., Haßiepen, U., <u>Schaper, F.</u> , Schneider-Mergener, J., Wollmer, A., Heinrich, P.C., and Grötzinger, J. <i>Characterization and binding specificity of the monomeric STAT3-SH2 domain.</i> J. Biol. Chem. , 274, 1342-1348 (1999).

[15]	Thiel, S., Behrmann, I., Timmermann, A., Dahmen, H., Müller-Newen, G., <u>Schaper, F.</u> , Tavernier, J., Pitard, V., Heinrich, P.C., and Graeve, L. <i>Identification of a Leu-Ile internalization motif within the cytoplasmic domain of the leukaemia inhibitory factor receptor.</i> Biochem. J. , 339, 15-19 (1999).
[16]	Siewert, E., Müller-Esterl, W., Starr, R., Heinrich, P.C., and <u>Schaper, F.</u> <i>Different protein turnover of interleukin-6-type cytokine signalling components.</i> Eur. J. Biochem. , 265, 251-257 (1999).
[17]	Bode, J.G., Nimmesgern, A., Schmitz, J., <u>Schaper, F.</u> , Schmitt, M., Frisch, W., Häussinger, D., Heinrich, P.C., and Graeve, L. <i>LPS and TNF induce SOCS3 mRNA and inhibit IL-6-induced activation of STAT3 in macrophages.</i> FEBS Lett. , 463, 365-370 (1999).
[18]	Schmitz, J., Dahmen, H., Grimm, C., Gendo, C., Müller-Newen, G., Heinrich, P.C., and <u>Schaper, F.</u> <i>The cytoplasmic tyrosine motifs in full length gp130 have different roles in IL-6 signal transduction.</i> J. Immunol. , 164, 848-854 (2000).
[19]	Haan, S., Kortylewski, M., Behrmann, I., Müller-Esterl, W., Heinrich, P.C., and <u>Schaper, F.</u> <i>Cytoplasmic STAT proteins associate prior to activation.</i> Biochem. J. , 345, 417-421 (2000).
[20]	Müller-Newen, G., Küster, A., Wijdenes, J., <u>Schaper, F.</u> , and Heinrich, P.C. <i>Studies on the interleukin-6-type cytokine signal transducer gp130 reveal a novel mechanism of receptor activation by monoclonal antibodies</i> J. Biol. Chem. , 275, 4579-4586 (2000).
[21]	Schmitz, J., Weissenbach, M., Haan, S., Heinrich, P.C., and <u>Schaper, F.</u> <i>SOCS3 exerts its inhibitory function on interleukin-6 signal transduction through the SHP2 recruitment site of gp130.</i> J. Biol. Chem. , 275, 12848-12856 (2000).
[22]	Böldicke, T., Struck, F., <u>Schaper, F.</u> , Tegge, W., Sobek, H., Villbrandt, B., Lankenau, P., and Böcher M. <i>A new peptide-affinity tag for the detection and affinity purification of recombinant proteins with a monoclonal antibody.</i> J. Immunol. Meth. , 240, 165-183 (2000).
[23]	Terstegen, L., Gatsios, P., Bode, J.G., <u>Schaper, F.</u> , Heinrich, P.C., and Graeve, L. <i>The inhibition of interleukin-6-dependent STAT activation by mitogen-activated protein kinase depends on tyrosine-759 in the cytoplasmic tail of gp130.</i> J. Biol. Chem. , 275, 18810-18817 (2000).
[24]	Terstegen, L., Maassen, B.G., Radtke, S., Behrmann, I., <u>Schaper, F.</u> , Heinrich, P.C., Graeve, L., and Gatsios, P. <i>Differential inhibition of IL-6-type cytokine-induced STAT activation by PMA.</i> FEBS Lett. , 478, 100-104 (2000).
[25]	Anhuf, D., Weissenbach, M., Schmitz, J., Sobota, R., Hermanns, H.M., Radtke, S., Linnemann, S., Behrmann, I., Heinrich, P.C., and <u>Schaper, F.</u> <i>Signal transduction of IL-6, LIF and OSM: Structural receptor requirements for signal attenuation.</i> J. Immunol. , 165, 2535-2543 (2000).
[26]	Rödel, B., Tavassoli, K., Karsunky, H., Schmidt, T., <u>Schaper, F.</u> , Heinrich, P.C., Shuai, K., Elsässer, H.P., and Möröy, T. <i>The zinc finger protein Gfi-1 can enhance STAT3 signaling by interacting with the STAT3-inhibitor PIAS3.</i> EMBO J. , 19, 5845-5855 (2000).
[27]	Hermanns, H.M., Radtke, S., <u>Schaper, F.</u> , Heinrich, P.C., and Behrmann, I. <i>Non-redundant signal transduction of interleukin-6-type cytokines. The adaptor protein shc is specifically recruited to the oncostatin M receptor.</i> J. Biol. Chem. , 275, 40742-40748 (2000).
[28]	Campbell, J.S., Prichard, L., <u>Schaper, F.</u> , Schmitz, J., Stephenson-Famy, A., Rosenfeld, M.E., Argast, G. M., Heinrich, P.C., and Fausto, N. <i>Expression of suppressors of cytokine signaling during liver regeneration.</i> J. Clin. Invest. , 107, 1285-1292 (2001).
[29]	Bode, J.G., Fischer, R., Häussinger, D., Graeve, L., Heinrich, P.C., and <u>Schaper, F.</u> <i>The inhibitory effect of IL-1β on IL-6 induced α_2-macroglobulin expression is due to activation on NF-κB.</i> J. Immunol. , 167, 1469-1481 (2001).

[30]	Strobl, B., Arulampalam, V., Is'harc, H., Newman, S.J., Schlaak, J.F., Watling, D., Costa-Pereira, A.P., <u>Schaper, F.</u> , Behrmann, I., Sheehan, K.C.F., Schreiber, R.D., Horn, F., Heinrich P.C. and Kerr I.M. <i>A completely foreign receptor can mediate an interferon-gamma-like response.</i> EMBO J. , 20, 5431-5442 (2001).
[31]	Bode, J. G., Ludwig, S., Correla Freitas, C.A., <u>Schaper, F.</u> , Ruhl, M., Melmed, S., Heinrich, P.C., and Häussinger, D. <i>The MKK6/p38 mitogen-activated protein kinase pathway is capable of inducing SOCS3 gene expression and inhibits IL-6-induced transcription.</i> Biol. Chem. , 382, 1447-1453 (2001).
[32]	Friederichs, K., Schmitz, J., Weissenbach, M., Heinrich, P.C., <u>Schaper, F.</u> <i>Interleukin-6-induced proliferation of pre-B-cells mediated by receptor complexes lacking the SHP2/SOCS3 recruitment sites revisited.</i> Eur. J. Biochem. , 268, 6401-6407 (2001).
[33]	Lehmann, U.; Schmitz, J.; Weissenbach, M.; Sobota, R. M.; Hörtner, M.; Friederichs, K.; Behrmann, I.; Tsiaris, W.; Sasaki, A.; Schneider-Mergener, J.; Yoshimura, A.; Neel, B. G.; Heinrich, P. C.; <u>Schaper, F.</u> <i>SHP2 and SOCS3 contribute to Y759-dependent attenuation of IL-6-signaling through gp130.</i> J. Biol. Chem. , 278, 661-671 (2003).
[34]	Bode, J. G.; Ludwig, S.; Ehrhardt, C.; Ehrhardt, A.; Albrecht, U.; <u>Schaper, F.</u> ; Heinrich, P. C.; Häussinger, D. <i>IFN-α antagonistic activity of HCV core protein involves induction of suppressor of cytokine signaling-3.</i> FASEB J. , 17, 488-490. full text: 10.1096/fj.02-0664fje (2003).
[35]	Niemand, C.; Nimmesgern, A.; Haan, S.; Fischer, P.; <u>Schaper, F.</u> ; Rossaint, R.; Heinrich, P. C.; Müller-Newen, G. <i>Activation of STAT3 by IL-6 and IL-10 in primary human macrophages is differentially modulated by SOCS3.</i> J. Immunol. , 170, 3263-3272 (2003)
[36]	Bode, J. G.; Schweigart, J.; Kehrmann, J.; Ehrling, C.; <u>Schaper, F.</u> ; Heinrich P. C.; Häussinger, D. <i>TNF-α induces tyrosine-phosphorylation and recruitment of SHP2 to the gp130 signal-transducing subunit of the IL-6 receptor complex.</i> J. Immunol. , 170, 257-266 (2003).
[37]	Fischer, P.; Lehmann, U.; Sobota, R. M.; Schmitz, J.; Niemand, C.; Linnemann, S.; Haan, S.; Yoshimura, A.; Johnston, J. A.; Behrmann, I.; Müller-Newen, G.; Heinrich, P. C.; <u>Schaper, F.</u> <i>The role of the inhibitors of interleukin-6 signal transduction SHP2 and SOCS3 for desensitisation of interleukin-6 signalling.</i> Biochem. J. , 378, 449-460 (2004).
[38]	Weissenbach, M.; Clahsen, T; Weber, C.; Spitzer, D.; Wirth D.; Vestweber, D.; Heinrich, P.C.; <u>Schaper F.</u> <i>Interleukin-6 is a direct mediator of T cell migration.</i> Eur. J. Immunol. , 34, 2895-2906 (2004).
[39]	Zhao, L.; Hart, S.; Chen J.; Melenhorst, J. J.; Bierie, B; Ernst, M.; Stewart, C.; <u>Schaper, F.</u> ; Heinrich, P. C.; Ullrich, A.; Robinson, G. W.; Hennighausen, L. <i>Mammary gland remodeling depends on gp130 signaling through Stat3 and MAPK.</i> J. Biol. Chem. 279, 44093-44100 (2004).
[40]	Yang, X.-P.; Albrecht, U.; Zakowski, V.; Sobota, R.M.; Häussinger, D.; Heinrich, P.C.; Ludwig, S.; Bode, J.; <u>Schaper F.</u> <i>Dual function of IL-1β for the regulation of interleukin-6-induced suppressor of cytokine signalling expression.</i> J. Biol. Chem. 279, 45279-45289 (2004).
[41]	Clahsen, T.; Lehmann, U.; Stross, C.; Hermanns, H. M.; Volkmer-Engert, R.; Schneider-Mergener, J.; Heinrich, P. C.; <u>Schaper, F.</u> <i>The tyrosine 974 within the LIF-R-chain of the gp130/LIF-R heteromeric receptor mediates negative regulation of LIF signalling.</i> Cell. Signal. 17, 559-569 (2005).
[42]	Sommer, U.; Schmid, C.; Sobota, R.M.; Lehmann, U.; Johnston, J.A.; <u>Schaper, F.</u> ; Heinrich, P.C.; Haan, S. <i>Mechanisms of SOCS3 phosphorylation upon interleukin-6 stimulation. Contributions of Src- and receptor-tyrosine kinases.</i> J. Biol. Chem. 280, 31478-31488 (2005).
[43]	Yang, X.-P.; <u>Schaper, F.</u> ; Teubner, A.; Lammert, F.; Heinrich, P.C.; Matern, S.; Siewert, E. <i>Interleukin-6 plays a crucial role in the hepatic expression of SOCS3 during acute inflammatory processes in vivo.</i> J. Hepatol. 43, 704-710 (2005).

[44]	Lehmann, U.; Sommer, U.; Smyczek, T.; Hörtner, M.; Frisch, W.; Volkmer-Engert, R.; Heinrich, P.C.; <u>Schaper, F.</u> ; Haan, S. <i>Determinants governing the potency of STAT3 activation via the individual STAT3-recruiting motifs of gp130.</i> Cell. Signal. 18, 40-49 (2006).
[45]	Stross, C.; Radtke, S.; Clahsen, T.; Gerlach, C.; Volkmer-Engert, R.; <u>Schaper, F.</u> ; Heinrich, P.C.; Hermanns, H.M. <i>Oncostatin M signalling is negatively regulated by a direct interaction of suppressor of cytokine signalling (SOCS3) and Janus kinase.</i> J. Biol.Chem. 281, 8458-8468 (2006).
[46]	Tron, K.; Samoylenko, A.; Musikowski, G.; Kobe, F.; Immenschuh, S.; <u>Schaper, F.</u> ; Ramadori, G.; Kietzmann, T. <i>Regulation of rat heme oxygenase-1 expression by interleukin-6 via the JAK/STAT pathway in hepatocytes.</i> J. Hepatol. 45, 72-80 (2006).
[47]	Ehltling, C.; Lai, W.S.; <u>Schaper, F.</u> ; Brenndörfer, E.D.; Matthes, R.-J.; Heinrich, P.C.; Ludwig, S.; Blackshear, P. J.; Gaestel, M.; Häussinger, D.; Bode, J.G. <i>Regulation of suppressor of cytokine signaling 3 mRNA stability by TNFα involves activation of the MKK6/p38^{MAPK} cascade.</i> J. Immunol. 178, 2813-2826 (2007).
[48]	Albrecht, U.; Yang, X.; Asselta, R., Keitel, V.; Tenchini, M. L.; Ludwig, S.; Heinrich, P. C.; Häussinger, D.; <u>Schaper, F.</u> [#] ; Bode, J. G. [#] <i>Activation of NF-κB by IL-1β blocks IL-6-induced sustained STAT3 activation and STAT3-dependent gene expression of the human g-fibrinogen gene.</i> Cell. Signal. 19, 1866-1878 (2007).
[49]	Sobota, R. M.; Müller, J. P.; Heinrich, P. C.; <u>Schaper, F.</u> <i>Prostaglandin E1 inhibits interleukin-6-induced MCP-1 expression by interfering specifically in IL-6-dependent ERK1/2 but not STAT3 activation.</i> Biochem. J. 412, 65-72 (2008).
[50]	Sobota, R. M.; Müller, P. J.; Khouri, C., Ullrich, A.; Poli, V., Noguchi, T.; Heinrich, P.C., <u>Schaper, F.</u> <i>SHPS-1/SIRP1a contributes to interleukin-6 signalling.</i> Cell. Signal. 20, 1385-1391 (2008).
[51]	Clahsen, T.; <u>Schaper, F.</u> <i>Interleukin-6 acts in the fashion of a classical chemokine on monocytic cells by inducing integrin activation, cell adhesion, actin polymerization, chemotaxis and trans-migration.</i> J. Leukocyte Biol. 84, 1521-1529 (2008).
[52]	Eulendorf, R.; <u>Schaper, F.</u> <i>A new mechanism for the regulation of Gab1 recruitment to the plasma membrane.</i> J. Cell. Science 122, 55-64 (2009).
[53]	Radtke, S.; Wüller, S.; Yang, X-P.; Lippok, B.E.; Mütze, B.; Mais, C.; Schmitz-Van de Leur, H.; Stross, C.; Bode, J. G., Gaestel, M.; Heinrich, P.C.; Behrmann, I.; <u>Schaper, F.</u> [#] ; Hermanns, H. M. [#] <i>Cross regulation of cytokine signalling: Pro-inflammatory cytokines restrict IL-6 signalling through receptor internalisation and degradation.</i> J. Cell. Science 123, 947-959 (2010).
[54]	Quaiser, T., Dittrich, A., <u>Schaper, F.</u> , Mönnigmann, M. <i>A simple work flow for biologically inspired model reduction - application to early JAK-STAT signalling.</i> BMC Syst. Biol. 5 (1) 30 (2011). doi:10.1186/1752-0509-5-30
[55]	Khouri, C., Dittrich, A., Dutton-Sackett, S., Denecke, B., Trautwein, C., <u>Schaper, F.</u> <i>Glucagon counteracts interleukin-6 dependent gene expression by redundant action of Epac and PKA.</i> Biol. Chem. 392, 1123-1134 (2011).
[56]	Ryll, A., Samaga, R., <u>Schaper, F.</u> , Alexopoulos, L., Klamt, S. <i>Large-scale network models of IL-1 and IL-6 signalling and their hepatocellular specification.</i> Mol. BioSyst. 7, 3253-3270 (2011).
[57]	Dittrich, A., Khouri, C., Dutton-Sackett, S., Ehltling, C., Böhmer, O., Albrecht, U., Bode, J. G., Trautwein, C., <u>Schaper, F.</u> <i>Glucocorticoids increase interleukin-6 dependent gene induction by interfering with the expression of the SOCS3 feedback inhibitor.</i> Hepatology. 55, 256-266 (2012).
[58]	Dittrich, A., Quaiser, T., Khouri, C., Görtz, D., Mönnigmann, M., <u>Schaper, F.</u> <i>Model-driven experimental analysis of the function of SHP2 in IL-6-induced Jak/STAT signalling.</i> Mol. Biosyst. 8, 2119-2134 (2012).

[59]	Thiem, S., Pierce, T. P., Palmieeri, M., Putoczki, T. L., Buchert, M., Preaudet, A., Farid, R. O., Love, C., Catimel, B., Lei, Z., Rozen, S., Gopalakrishnan, V., <u>Schaper, F.</u> , Hallek, M., Boussioutas, A., Tan, P., Jarnicki, A., Ernst, M. <i>Therapeutic mTorc1 inhibition restricts inflammation associated gastrointestinal tumorigenesis in mice.</i> J. Clin. Invest. 123, 767-781 (2013).
[60]	Müller, P. J., Rigbolt, K. G., Paterok, D., Piehler, J., Vanselow, J., Lasonder, E., Andersen, J. S., <u>Schaper, F.</u> [#] , Sobota, R. M. [#] <i>Protein tyrosine phosphatase SHP2/PTPN11 mistargeting as a consequence of SH2-domains point mutations associated with Noonan syndrome and leukemia</i> J. Proteomics 84, 132-147 (2013).
[61]	Wolf, A., Eulendorf, R., Gäbler, K., Rolvering, C., Haan, S., Behrmann, I., Denecke, B., Haan, C., <u>Schaper, F.</u> <i>JAK2-V617F-induced MAPK activity is regulated by PI3K and acts synergistically with PI3K on the proliferation of JAK2-V617F-positive cells</i> JAK-STAT 2:3, e24574 (2013).
[62]	Bläthke, M.A., Dittrich, A., Rohr, C., Heiner, M. [#] , <u>Schaper, F.</u> [#] , Marwan, W. [#] , <i>JAK/STAT signalling--an executable model assembled from molecule-centred modules demonstrating a module-oriented database concept for systems and synthetic biology.</i> Mol. Biosyst. 9, 1290-1307 (2013).
[63]	Wolf, A., Eulendorf, R., Bongartz, H., Hessenkemper, W., Simister, P.C., Lievens, S., Tavernier, J., Feller, S.M., <u>Schaper, F.</u> , <i>MAPK-induced Gab1 translocation to the plasma membrane depends on a regulated intramolecular switch.</i> Cell. Signal. 27, 340-352 (2015).
[64]	Pinno, J., Bongartz, H., Klepsch, O., Wundrack, N., Poli, V., <u>Schaper, F.</u> , Dittrich, A., <i>Interleukin-6 influences stress-signalling by reducing the expression of the mTOR-Inhibitor REDD1 in a STAT3-dependent manner.</i> Cell. Signal. 28, 907-916 (2016).
[65]	Bongartz, H., Hessenkemper, W., Müller, C., Fensky, M., Fritsch, J., Mandel, K., Behrmann, I., Haan, C., Fischer, T., Feller, S.M., <u>Schaper, F.</u> <i>The multi-site docking protein Gab1 is constitutively phosphorylated independent from its recruitment to the plasma membrane in Jak2-V617F-positive cells and mediates proliferation of human erythroleukaemia cells.</i> Cell. Signal. 35, 37-47 (2017).
[66]	Williams, J.J.L., Alotaqi, N., Mullen, W., Burchmore, R., Liu, L., Baillie, G., <u>Schaper, F.</u> , Pilch, P.F., Palmer, T.M. <i>Interaction of suppressor of cytokine signalling 3 with cavin-1 links SOCS3 function and cavin-1 stability.</i> Nat. Commun. 9 (1): 168. doi: 10.1038/s41467-017-02585-y (2018).
[67]	Thiele, S., Heise, S., Hessenkemper, W., Bongartz, H., Fensky, M., <u>Schaper, F.</u> , Klamt, S. <i>Designing optimal experiments to discriminate interaction graph models.</i> IEEE/ACM Trans. Comput. Biol. Bioinform. 16 (3), 925-935 (2019).
[68]	Billing, U., Jetka, T., Nortmann, L., Wundrack, N., Komorowski, M., Waldherr, S., <u>Schaper, F.</u> , Dittrich, A. <i>Robustness and Information Transfer within IL-6-induced JAK/STAT Signalling.</i> Commun. Biol. 2:27. doi: 10.1038/s42003-018-0259-4. (2019).
[69]	Reeh, H., Rudolph, N., Billing, U., Christen, H., Streif, S., Bullinger, E., Schliemann-Bullinger, M., Findeisen, R., <u>Schaper, F.</u> , Huber, H.J., Dittrich, A. <i>Response to IL-6 trans- and IL-6 classic signalling is determined by the ratio of the IL-6 receptor α to gp130 expression: fusing experimental insights and dynamic modelling.</i> Cell Commun. Signal. 17:46. doi.org/10.1186/s12964-019-0356-0 (2019).
[70]	Klepsch, O., Namer, L.S., Köhler, N., Kaempfer, R., Dittrich, A., <u>Schaper, F.</u> <i>Intragenic regulation of SOCS3 isoforms.</i> Cell Commun. Signal. 17:70. doi: 10.1186/s12964-019-0379-6.(2019).
[71]	Bongartz, H., Gille, K., Hessenkemper, W., Mandel, K., Lewitzky, M., Feller, S.M., <u>Schaper, F.</u> <i>The multi-site docking protein Grb2-associated binder 1 enhances interleukin-6-induced MAPK-pathway activation in an SHP2-, Grb2-, and time-dependent manner.</i> Cell Commun. Signal. 17:135 doi: 10.1186/s12964-019-0451-2. (2019).

Nr.	Übersichtsartikel
[Ü1]	Heinrich, P. C., Behrmann, I., Müller-Newen, G., <u>Schaper, F.</u> , Graeve, L. <i>IL-6-type cytokine signalling through the gp130/Jak/STAT pathway</i> . Biochem. J. , 334: 297-314 (1998).
[Ü2]	Heinrich, P.C., Bode, J.G., Decker, M., Graeve, L., Martens, A., Müller-Newen, G., Pflanz, S., <u>Schaper, F.</u> , Schmitz, J. <i>Termination and modulation of IL-6-type cytokine signaling</i> . Adv. Exp. Med. Biol. , 495, 153-160 (2001).
[Ü3]	Heinrich, P. C., Behrmann, I., Haan, S., Hermanns, H. M., Müller-Newen, G., <u>Schaper, F.</u> <i>Principles of IL-6-type cytokine signalling and its regulation</i> . Biochem. J. , 374: 1-20 (2003).
[Ü4]	Friedrich, K., Lindquist, J.A., Entschladen, F., Serfling, E., Thiel, G., Kieser, A., Giehl, K., Ehrhardt, C., Feller, S.M., Ullrich, O., <u>Schaper, F.</u> , Janssen, O., Hass, R. <i>Signal transduction in the footsteps of Goethe and Schiller</i> . Cell. Commun. Signal. 7:2 (2009).
[Ü5]	Entschladen, F., Lindquist, J.A., Serfling, E., Thiel, G., Kieser, A., Giehl, K., Erhardt, C., Feller, S.M., Ullrich, O., <u>Schaper, F.</u> , Janssen, O., Hass, R., Friedrich, K. <i>Signal Transduction-Receptors, Mediators, and Genes</i> . Sci. Signal. 2 (63):mr3 (2009).
[Ü6]	Simister, P.C., <u>Schaper, F.</u> , O'Reilly, N., McGowan, S., Feller, S.M. <i>Self-Organization and Regulation of Intrinsically Disordered Proteins with Folded N-Termini</i> . PLoS Biol. 9(2): e1000591. doi:10.1371/journal.pbio.1000591 (2011).
[Ü7]	Bode, J.G., Albrecht, U., Häussinger, D., Heinrich, P.C., <u>Schaper, F.</u> , <i>Hepatic acute-phase proteins – regulation by IL-6- and IL-1-type cytokines involving STAT3 and its cross talk with NF-κB-dependent signaling</i> . Eur. J. Cell. Biol. , 91:496-505 (2012).
[Ü8]	Eulenfeld, R., Dittrich, A., Khouri, C., Müller, P.J., Mütze, B., Wolf, A., <u>Schaper, F.</u> <i>Interleukin-6 signalling: more than Jaks and STATs</i> . Eur. J. Cell. Biol. , 91:486-495 (2012).
[Ü9]	Garbers, C., Hermanns, H.M., <u>Schaper, F.</u> , Müller-Newen, G., Grötzinger, J., Rose-John, S., Scheller, J. <i>Plasticity and cross-talk of interleukin 6-type cytokines</i> . Cytokine & Growth Factor Reviews , 23, 85-97 (2012).
[Ü10]	<u>Schaper, F.</u> , Rose-John, S. <i>Interleukin-6: Biology, Signaling and Strategies of Blockade</i> . Cytokine & Growth Factor Reviews , 26, 475-487 (2015).
[Ü11]	Dittrich, A., Hessenkemper, W., <u>Schaper, F.</u> <i>Systems Biology of IL-6, IL-12 family cytokines</i> . Cytokine & Growth Factor Reviews , 26, 595-602 (2015).
[Ü12]	Rose-John, S., Scheller, J., <u>Schaper, F.</u> <i>“Family reunion” A structured view on the composition of the receptor complexes of interleukin-6-type and interleukin-12-type cytokines</i> . Cytokine & Growth Factor Reviews , 26, 471-474 (2015).

Nr.	Buchbeiträge
[B1]	Heinrich, P. C., Behrmann, I., Graeve, L., Grötzinger, J., Haan, S., Horn, F., Horsten, U., Kerr, I. M., May, P., Müller-Newen, G., <u>Schaper, F.</u> , Terstegen, L., Thiel, S. The acute-phase response of the liver: Molecular mechanism of IL-6 signaling from the plasma membrane to the nucleus in Häussinger, D.; Heinrich, P. C. (eds.): <i>Signalling in the liver</i> . Kluwer Academic Publishers Dordrecht/ Boston/London (1998) pp. 55-77.
[B2]	Heinrich, P.C., Behrmann, I., Bode, J. G., Gatsios, P., Graeve, L., Hermanns, H., Müller-Newen, G., Timmesgern, A., Pflanz, S., Radtke, S., <u>Schaper, F.</u> , Schmitz, J., Siewert, E., Terstegen, L., Thiel, S., Weissenbach, M. Termination and modulation of IL-6-type cytokine signalling through the gp130/Jak/STAT pathway in: Andus, T., Rogler, G., Schlottmann, K., Frick, E., Adler, G.; Zeitz, M., Schmiegel, W., Schölmerich J. (eds.): <i>Cytokines and cell homeostasis in the gastrointestinal tract</i> . Kluwer Academic Publishers, Dordrecht/Boston/London (2000) pp. 206-228.
[B3]	Heinrich, P.C., Bode, J.G., Graeve, L., Haan, S., Martens, A., Müller-Newen, G., Nimmersgern, A., <u>Schaper, F.</u> , Schmitz, J., Siewert, E. IL-6-type cytokines and signaling in inflammation. in: Trull, A. K., Demers, L. M., Holt, D. W., Johnston, A., Tredger, J. M., Price C. P. (eds.): <i>Biomarkers of Disease</i> . Cambridge University Press, Cambridge, UK (2002) pp. 256-262.
[B4]	Heinrich, P.C., Bode, J.G., Decker, M., Graeve, L., Martens, A., Müller-Newen, G., Pflanz, S., <u>Schaper, F.</u> , Schmitz, J. Termination and modulation of IL-6-type cytokine signaling. in: Mackiewicz, A., (ed.): <i>Progress in Basics and Clinical Immunology (Proceedings of EFIS 2000)</i> , Kluwer Academic Publishers, Dordrecht, NL (2001) pp. 153-160.
[B5]	Heinrich, P.C., Barthel, A., Behrmann, I., Feld, F., Grötzinger, J., Haan, C., Hermanns, H.M., Joost, H-G., Kerr, I.M., Kortylewski, M., Lehmann, U., Müller-Newen, G., Radtke, S., Roth, R., <u>Schaper, F.</u> , Timmermann, A. (2002) Regulation of Interleukin-6-type cytokine signaling. in: Gressner, A., Matern, S., Heinrich, P.C., (eds.): <i>Cytokines in Liver Injury and Repair</i> Kluwer Academic Publishers, Dordrecht/Boston/London (2002) pp. 221-237.
[B6]	Heinrich, P. C., Behrmann, I., Haan, S., Hermanns, H. M., Müller-Newen, G., <u>Schaper, F.</u> Structural basis of receptor-JAK-STAT interactions. in Sehgal, P. B., Levy, D. E., Hirano, T. (eds.): <i>Signal Transducers and Activators of Transcription (STATs): Activation and Biology</i> (2003) Kluwer Academic Publishers, Dordrecht/Boston/London (2003) pp. 43-53.
[B7]	Blätke, M. A., Dittrich, A., Heiner, M., <u>Schaper, F.</u> , Marwan, W. JAK-STAT Signalling as example for a database-supported modular modelling concept. in Gilbert, D., Heiner, M. (eds.): <i>Computational Methods in Systems Biology – Proceedings 10th International Conference, CMSB (2012)</i> Springer-Verlag Berlin Heidelberg (2012) pp. 362-365.
[B8]	Dittrich, A., Siewert, E., <u>Schaper, F.</u> Determination of protein turnover rates in the Jak/STAT pathway using a radioactive pulse-chase approach. <i>Methods Mol. Biol.</i> 967, 69-80 (2013).
[B9]	Rudolph, N., Meyer, T., Franzen, K., Garbers, C., <u>Schaper, F.</u> , Streif, S., Dittrich, A., Findeisen, R. A two-level approach for fusing early signaling events and long term cellular responses. <i>Proc. International Symposium on Advanced Control of Chemical Processes (ADCHEM)</i> (2015) pp. 1229-1234.

Nr.	Lehrbuchbeiträge
[L1]	Heinrich, P.C., <u>Schaper, F.</u> , Timmermann, A., Martens, A., Lehmann, U., <i>Kapitel 28: Endokrine Funktionen II: Zytokine.</i> in: Löffler, G., Petrides, P.E. (eds.): <i>Biochemie und Pathobiochemie 7. Auflage.</i> Springer-Verlag Berlin Heidelberg (2003) pp. 813-835.
[L2]	Heinrich, P.C., Haan, S., Hermanns, H.M., Löffler, G., Müller-Newen, G., <u>Schaper, F.</u> , <i>Kapitel 25: Kommunikation zwischen Zellen: Extrazelluläre Signalmoleküle, Rezeptoren und Signaltransduktion.</i> in: Löffler, G., Petrides, P.E., Heinrich, P.C. (eds.): <i>Biochemie und Pathobiochemie 8. Auflage.</i> Springer-Verlag Berlin Heidelberg (2006) pp. 755-807
[L3]	Müller-Newen, G., Heinrich, P.C., Hermanns, H.M., <u>Schaper, F.</u> , <i>Kapitel 33: Prinzipien zellulärer Kommunikation.</i> in: Heinrich, P.C., Müller M., Graeve, L., (eds.): Löffler/Petrides <i>Biochemie und Pathobiochemie 9. Auflage.</i> Springer-Verlag Berlin Heidelberg (2014) pp. 393-406
[L4]	Heinrich, P.C., Haan, S., Hermanns, H.M., Müller-Newen, G., <u>Schaper, F.</u> , <i>Kapitel 34: Mediatoren.</i> in: Heinrich, P.C., Müller M., Graeve, L., (eds.): Löffler/Petrides <i>Biochemie und Pathobiochemie 9. Auflage.</i> Springer-Verlag Berlin Heidelberg (2014) pp. 407-410
[L5]	Heinrich, P.C., Haan, S., Hermanns, H.M., Müller-Newen, G., <u>Schaper, F.</u> , <i>Kapitel 35: Rezeptoren und ihre Signaltransduktion.</i> in: Heinrich, P.C., Müller M., Graeve, L., (eds.): Löffler/Petrides <i>Biochemie und Pathobiochemie 9. Auflage.</i> Springer-Verlag Berlin Heidelberg (2014) pp. 411-441
[L6]	Müller-Newen, G., Heinrich, P.C., Hermanns, H.M., <u>Schaper, F.</u> , <i>Kapitel 33: Prinzipien zellulärer Kommunikation.</i> in: Heinrich, P.C., Müller M., Graeve, L., (eds.): Löffler/Petrides <i>Biochemie und Pathobiochemie 10. Auflage.</i> Springer-Verlag Berlin Heidelberg (2020), im Druck
[L7]	Heinrich, P.C., Haan, S., Hermanns, H.M., Müller-Newen, G., <u>Schaper, F.</u> , <i>Kapitel 34: Mediatoren.</i> in: Heinrich, P.C., Müller M., Graeve, L., (eds.): Löffler/Petrides <i>Biochemie und Pathobiochemie 10. Auflage.</i> Springer-Verlag Berlin Heidelberg (2020), im Druck
[L8]	Heinrich, P.C., Haan, S., Hermanns, H.M., Müller-Newen, G., <u>Schaper, F.</u> , <i>Kapitel 35: Rezeptoren und ihre Signaltransduktion.</i> in: Heinrich, P.C., Müller M., Graeve, L., (eds.): Löffler/Petrides <i>Biochemie und Pathobiochemie 10. Auflage.</i> Springer-Verlag Berlin Heidelberg (2020), im Druck